



Hayward pro logic check system no cell power 2

Where can I program my Pro Logic Control functions?

All of the control functions can be programmed at a display/keypad which is part of the main unit (typically located near the pool equipment) or at one or more remote display/keypads. Default Display below: Turn power on at the main panel and turn the Pro Logic control power circuit breaker on. The keypad will show the default display.

What sensors can a ProLogic system control?

Additional Sensor Error Codes All ProLogic systems are salt chlorination ready and can control 4-16 high voltage relays, 3-4 valve actuators and 1-2 heaters. These systems can manage: Hayward Variable Speed Pumps, ColorLogic Lighting, Sense & Dispense, AquaConnect Homenet, as well as a wide variety of remotes.

What does no cell power & low volts mean?

Page 19 1. No Cell Power/Low Volts 'No Cell Power' & Low Volts implies the chlorinator cycle has been interrupted due to no/low voltage detected when the cell power relay was turned on. If the system reports 'CELL POWER ERROR', replace the main board (see pg.

How do I Reset my Pro Logic cell?

The Pro Logic will automatically remind you when it is time and display 'Inspect Cell,+to reset' as part of the rotating 'Default Menu'. Clean the cell per the Hayward instructions and then press the plus (+) key during the 'Inspect Cell' display to reset the cell.

Can ProLogic turn on wired equipment?

The ProLogic should only attempt to turn on wired equipment if the LED next to the specific auxiliary or valve is illuminated. The ProLogic will only attempt to engage a relay if the specific Auxiliary LED is illuminated on the display. Press the Auxiliary button that corresponds with the relay in question.

How do I Reset my Hayward cell?

Clean the cell per the Hayward instructions and then press the plus (+) key during the 'Inspect Cell' display to reset the cell. Cell cleaning frequency is dependent on several factors; pH and calcium levels in the water are the two that have the greatest effect on how often the cell requires cleaning.

The Hayward Pro Logic is a multifunction pool controller used to fully manage your pool/spa system. The Pro Logic can control pumps, valves, lighting, heaters, and chlorination. Although the Pro Logic is easy to use, it is important to completely read through this operating manual before attempting to operate the control. NOTE: This manual ...

2. Check that the heater is running. If not, then check: o Power is supplied to the heater. o The Pro Logic



Hayward pro logic check system no cell power 2

control output is properly connected to the heater control (see "Heater Control" wiring, page 13). o Some heaters also have internal switches or jumpers that have to ...

ProLogic is a pool controller system that suits any backyard environment. It takes the work out of owning a pool and spa by automating all essential pool and spa functions, water chemistry with Sense and Dispense™, salt chlorination, custom light shows with Universal ColorLogic™; LED lights and other backyard features like water features, lights and foggers.

(pages 18-20). Reinstall the cell and check (see note below). If the "No Cell Power" message remains, replace the cell. Note: If the controller is still powered when unplugging the cell and then the cell is subsequently plugged back in, it may display a "Low Temp" fault message and the "Check System" light may still illuminate.

Set highest speed from 20% to 100% (default). Flow Monitor This feature will help protect the filter pump from damage due to no flow. When used with a Hayward flow switch, the Pro Logic monitors the state of water flow when the filter pump is on. If no flow is detected ; Hayward PL-PS-8 | Pro-Logic-Operation-Manual-092331DRevJ - Page 27

Up to \$9 cash back! Customer: My display is saying "Chlorinator Off No Cell Power" and "Check System No Cell Power 2". If I re-boot, it will display correctly for about a minute and ...

Customer: We have a Aqua Logic controller and the check system light has been on for some time. We have changed the chlorinator, the probes have been cleaned and it is still on. It us a salt pool. Contractor's Assistant: Who manufactured the pool? Customer: I don't know. We bought the house with pool two years ago.

The Hayward Pro Logic is a multifunction pool controller used to fully manage your pool/spa system. The Pro Logic can control pumps, valves, lighting, heaters, and chlorination. Although the Pro Logic is easy to use, it is important to completely read through this operating manual before attempting to operate the control. S INC.

The Hayward Pro Logic is a multifunction pool controller used to fully manage your pool/spa system. The Pro Logic can control pumps, valves, lighting, heaters, and chlorination. Although the Pro Logic is easy to use, it is important to completely read through this operating manual before attempting to operate the control. Page 5: Chlorination

Hayward Variable Speed Pump: Proper installation of a Hayward Variable Speed Pump (VSP) includes high voltage input wiring, low voltage communication wiring, and menu configuration/settings. The Pro Logic can control up to 2 Hayward TriStar VSPs and 4 EcoStar VSPs. Refer to the diagram below for proper input wiring to the VSP.



Hayward pro logic check system no cell power 2

ProLogic: Main PCB Layout A I Remote DSP comm (RS485 - 10VDC) B Temp sensor terminal block (5VDC) C Heater 1& 2 terminal block (dry contacts) D Valves 1-4 & 4Amp fuse (24VAC) E Cell Plug for chlorination F High Voltage Relays (top - Filter, Lights, AUX1, AUX2; bottom (AUX 3-6). G Flow Monitor (flow switch connector) H P Transformer Input (120VAC X 2)

Pro Logic Automation and Chlorination Operation Manual 092338C RevH PL-P-4 ... Dry acid can cause a buildup of by-products that can damage your chlorinator cell. Default Display Turn power on at the main panel and turn the Pro Logic control power circuit breaker on. The ... Check System. USE ONLY HAYWARD GENUINE REPLACEMENT ...

Hayward Pro Logic Pool Controller System Pdf User Manuals. View online or download Hayward Pro Logic Pool Controller System Installation Manual ... Pro Logic Control Power. 16. High Voltage Pool Equipment. 16. Low Voltage Wiring. 18. 5 Configuration Group Function. 25. Configuration Menus. 27. ... Check System Indicator. 10. Settings Menu. 11 ...

NOTE: This manual assumes that the Pro Logic has been wired and configured according to the Installation Manual. Aspects of the Pro Logic that pertain to system setup are not covered in this manual. Automation The Pro Logic can control up to 4 high voltage (120/240V) pieces of equipment, up to 3 automatic valve actuators, and a conventional ...

Mounting hardware (screws, etc.) for mounting Pro Logic and remote display/keypad Valves (use standard Hayward, Pentair/Compool, or Jandy valves) Additional valve actuators Accessory Products - Order Separately T-CELL-3 Pick N Mix™ Chlorinator Cell (for pools up to 15k gallons) T-CELL-9 Pick N Mix Chlorinator Cell (for pools up to 25k gallons)

2 Introduction The Hayward Pro Logic is a multifunction pool controller used to fully manage your pool/spa system. The Pro Logic can control pumps, valves, lighting, heaters, and chlorination. ... Dry acid can cause a buildup of by-products that can damage your chlorinator cell. Default Display Turn power on at the main panel and turn the Pro ...

Before attempting to install the Pro Logic system, check that the following components have been included in the package: Pro Logic Electronics Unit (3) Temperature sensors with 15 ft. (5m) cable, hose clamp Pro Logic Expansion Unit (PS-16 only) What's NOT Included Some of the additional items that you may need to complete an installation ...

How To: Clear Inspect Cell Message Follow these steps ONLY if Salt Chlorination is Enabled AND the system shows a Check System LED, with an "Inspect Cell" message. Every 500 operational hours this message will appear.

o No Cell Power -- If no chlorinator cell power is detected on the printed circuit board. While the main



Hayward pro logic check system no cell power 2

objective of the Pro Logic is to automate the operation of your pool/spa system, there may be certain times when you want to override ...

USE ONLY HAYWARD GENUINE REPLACEMENT PARTS 2 Introduction What's Included Before attempting to install the Pro Logic system, check that the following components have been included in the package: Pro Logic Electronics Unit (3) Temperature sensors with 15 ft. (5m) cable, hose clamp What's NOT Included

We have 2 Hayward ProLogic manuals available for free PDF download: Troubleshooting Manual ... No Cell Power/Low Volts. 17. Chlorinator Off, High Salt/Amps. 18. Chlorinator Off, High Salt/Amps. 20. Chlorinator Off, Cell Sensor Open. 21. ... Hayward Pro Logic PL-PS-16-V

Our hayward aqua plus System says no cell power 1. My husband says curcuit board appears discolored and some wires ... I have a Hayward salt cell, can you help with troubleshooting? Goldline Aqua Plus system. Check salt light is on and. Daniel Scott. Expert. 2,066 Satisfied Customers. ... I have a Pro Logic Gold Line Aqua Plus troubleshooting ...

View and Download Hayward Pro Logic operation manual online. Automation and Chlorination. ... o No Cell Power -- If no chlorinator cell power is detected on the printed circuit board. While the main objective of the Pro Logic is to automate the operation of your pool/spa system, there may be certain times when you want to override the ...

No Cell Power/Low Volts "No Cell Power" & Low Volts implies the chlorinator cycle has been interrupted due to no/low voltage detected when the cell power relay was turned on. If the system reports "CELL POWER ERROR", replace the ...

Important Information and Compatibility Pg. 2 Check System: "pH High" Pg. 14-17 Maintenance Pg. 3 Check System: "pH Timeout - Chk feedr" Pg. 18-20 Maintenance: Probe Cleaning Pg. 4 Check System: "pH Calibration Error" Pg. 21 Calibrating the pH Probe (Pro Logic) Pg. 5 Check System: "ORP Low - Chk Chlor." Pg. 22-23

Follow these steps ONLY if Salt Chlorination is Enabled AND the system shows a Check System LED, with an ZInspect ell [message. Every 500 operational hours this message will appear. Before resetting, inspect and/or clean the cell if necessary. Once complete, press the Menu button to exit. How To: Clear Inspect Cell Message 10 Step 3 Step 4 Step 1

Amazon Music Stream millions of songs: Amazon Ads Reach customers wherever they spend their time: 6pm Score deals on fashion brands: AbeBooks Books, art & collectibles



Hayward pro logic check system no cell power 2

Web: <https://www.ekusenitours.co.za>